



As Seen and Felt Daily Occur!... A FEW DOSES... MASSACHUSETTS PLOUGHMAN... EDITORIAL... JUNE ON THE FARM... THE HORSE... THE POULTRY INTEREST... THE DAIRY... ONE CASE OF PLEURO-PNEUMONIA... VEGETABLE OYSTERS... THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION... THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION... THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION...

of the farmer, who up to this time might reasonably have expected a bountiful harvest. It has been discovered by watching the habits of this fly that by planting the squashes as late as the 20th or 25th of June, that this fly has previously laid its eggs in the soil, and that the crop is free from the ravages of this worm, and most varieties, such as the Marston, Hubbard, and especially the Boston Hybrid of Essex, Mass., which has been named the Essex Hybrid, will mature in season to escape frost if given high manuring and cultivation.

DESTRUCTION OF WEEDS.
As a rule, there are few, if any operations on the farm that are so badly managed as the destruction of grass and weeds. Some farmers begin the season by pulling weeds from the field and leave them to rot in place, and the crop gets a good start, they abandon the field and leave the weeds to fight their own way; then when the crops begin to grow, they find the weeds have taken root, and they are left to their own devices, and the crop is ruined.

Editorial.
JUNE ON THE FARM.
Hoing—June is the month in which the farmer should be most active. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE HORSE.
WATER AND FOOD FOR HORSES.
Horses and mules require, in round numbers, four pounds of water for each pound of dry substance in the food. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE POULTRY INTEREST.
THE WONDERS OF INCUBATION.
It is wonderful to trace the development of the chicken, during the process of incubation, from the egg to the hatched bird. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE DAIRY.
DAIRY SCHOOLS.
As progressive dairymen are becoming more and more numerous, it is not surprising that the dairy schools are becoming more and more popular. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

ONE CASE OF PLEURO-PNEUMONIA.
Editor Massachusetts Ploughman:—There has been a great deal of talk lately about the origin of pleuro-pneumonia in cattle, but the origin of the disease is still a matter of controversy. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

VEGETABLE OYSTERS.
(Western Stock Journal.)
The oyster, or vegetable oyster, is one of the most valuable of our crops. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION.
The New Jersey Agricultural Experiment Station is one of the most important of our institutions. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION.
The New Jersey Agricultural Experiment Station is one of the most important of our institutions. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION.
The New Jersey Agricultural Experiment Station is one of the most important of our institutions. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION.
The New Jersey Agricultural Experiment Station is one of the most important of our institutions. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

THE NEW JERSEY AGRICULTURAL EXPERIMENT STATION.
The New Jersey Agricultural Experiment Station is one of the most important of our institutions. It is the month in which the crops are most susceptible to frost, and the farmer should be most careful to protect them.

